

VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

Those of you who have seen this page before may notice that it has changed !

Changed from an idea to Documentation!

I have successfully integrated the phone patch of an SCOM 7K repeater with a Grandstream HT286 ATA adapter and a mesh node. The HT286 has less than a preferred web GUI for setup, but if you are persistent, you can get it set.

VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00



**Belkin UPS
12VDC output**

HT-286

K5KTF-444625

Decibel 70cm Duplexer

S-COM 7K Controller

**GE MASTR II
@ 444.625Mhz**

VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

~~http://www.k5ktf.com/usbmesh/usbmesh.html~~

K5KTF-USB mesh status

Stop

Quit

Local Hosts

K5KTF-USB

Services

[IRC Chat](#)
POP3/SMTP (25/110/587)
VoIPoM (5004/5060/10K-20K)
[WWW](#)
Winlink/RMS (8000)

Current Neighbors

[K5KTF-30tower](#) 100%
[K5KTF-444625](#) 94%
● z444625
[K5KTF-Hotline](#) 100%
● Hotline
[K5KTF-TunnelHost](#) (mid*5) 100%
[K5KTF-USB2](#) 100%

Remote Nodes

ETX

Services

[KD5MFW-372-GS-vtun](#) (mid) 2.00
[KD5MFW-401-W5KA-tun](#) (mid*3) 2.00
[W5KA-spr1-KD5MFW-902](#) (mid) 3.00
[WA5VBP-1](#) 3.00
● noname1
● wa5vbp-1
[WA5VBP-tun](#) (mid) 2.00
[WB5AOH-29-54GS-vtun](#) (mid*3) 2.00
[WB5AOH-31](#) 3.12
[WB6YOK-000-gs-TUNNEL](#) (mid) 2.00
[WB6YOK-103-GATEWAY](#) 3.00
[ad5oo-6](#) 3.00

Previous Neighbors

10.81.108.225

~~http://www.k5ktf.com/usbmesh/usbmesh.html~~